

Dr. M.C. Maijers (Marieke)

Revalidatiearts



Gediplomeerd specialist sinds

2019

Opleiding(en)

OOR Utrecht, P. Passier

Promotie

[Safety & Imaging of modern silicone breast implants, the PIP recall placed in perspective](#), Promotor: prof. dr. M.J.P.F. Ritt, 2014

Talen

Nederlands, Engels

Bij Reade sinds

2019

Werkervaring

SEHOS/SGR groep, Curaçao (revalidatie geneeskunde)

St. Antonius ziekenhuis, Nieuwegein (revalidatie geneeskunde)

Heliomare, Wijk aan zee (revalidatie geneeskunde)

UMCU, Utrecht (revalidatie geneeskunde)

De Hoogstraat, Utrecht (revalidatie geneeskunde)

VUmc, Amsterdam (plastische chirurgie)

OLVG West (plastische chirurgie)

Daniel Den Hoed, Erasmus mc, Rotterdam (snijdende oncologische groep)

Mwanza District Hospital, Mwanza, Malawi (topenarts)

Ijsselmeerziekenhuizen, Lelystad (opleiding tot topenarts)

Nevenfuncties

Voorzitter Stichting FO4R Mwanza Malawi

Lidmaatschap VRA

Publicaties

Maijers MC, Verschuren O, Stolwijk-Swuste JM, van Koppenhagen CF, de Groot S, Post MWM. Is Fitbit Charge 2 a feasible instrument to monitor daily physical activity and handbike training in persons with spinal cord injury? A pilot study. *Spinal cord series and cases*. 2018;4:84

van Verschuer VM, Maijers MC, van Deurzen CH, Koppert LB, Oncological safety of prophylactic breast surgery: skin-sparing and nipple-sparing versus total mastectomy. *Gland Surg*. 2015 Dec;4(6):467-75.

Maijers MC, Niessen FB, Veldhuizen MJPF, Ritt MJPF, Manoliu RA, MRI Screening for Silicone Breast Implants Rupture: Accuracy, inter- and intraobserver variability using explantation results as reference standard. *European Radiology*. Jun 2014; 24(6):1167-75 en gepresenteerd op European Congress of Radiology in Wenen, maart 2014

Maijers MC, Niessen FB, Veldhuizen JFH, Ritt MJPF, Manoliu RA, Magnetic Resonance Imaging screening results compared with Explantation results in Poly Implant Prothèse Silicone Breast Implants, Recalled from the European market in 2010. *Plastic and reconstructive surgery*. Feb 2014;133(2):114-121.

Maijers MC, de Blok CJM, Niessen FB, van der Veldt AAM, Ritt MJPF, Winters HAH, Kramer MHH, Nanayakkara PWB, Women with silicone breast implants and unexplained systemic symptoms: a descriptive cohort study. *The Netherlands journal of medicine*.


Maijers MC, Niessen FB, Veldhuizen JFH, Ritt MJPF, Manoliu RA, A new simple method to describe MRI findings on Silicone Breast Implant condition useful for common clinical practice: Silicone Implants Reporting and Data System (SI-RADS). *Plastic and reconstructive surgery*.

Maijers MC, Niessen FB. The Clinical and Diagnostic Consequences of PIP Silicone Breast Implants, recalled from the European market in 2010. *Plastic and reconstructive surgery*.

Maijers MC, Niessen FB. Reply to "the PIP debacle". *Plastic and reconstructive surgery*. Jan 2013;131(1):112-114.

Maijers MC, Niessen FB. Prevalence of Rupture in PIP Silicone Breast Implants, recalled from the European market in 2010. Plastic and reconstructive surgery.

Maijers MC, Fijen CA, van Waveren G, Tytgat GAM. Drie kinderen met een eenzijdige perifere N. facialis-parese: Interpretatie van de Richtlijn Lyme-borreliose: neuroborreliose. Tijdschrift voor Infectieziekten 2008;3:236-41



Heb je een vraag over Reade? Onze afdeling Service & Planning helpt je verder.

T (020) - 242 10 00 | klantenservice@reade.nl